

**BR 02 STEEL** Carbon fiber dial  
**BR 02 PHANTOM**



**1** BR 02-92 STEEL – Carbon fiber dial

**BR 02 STEEL** Carbon fiber dial  
**BR 02 PHANTOM**



2 BR 02-92 PHANTOM

**BR 02 STEEL** Carbon fiber dial

**3** BR 02-92 - STEEL – Carbon fiber dial  
Rubber strap

**Technical specifications**

**Movement :** self-winding mechanical - ETA 2892

**Functions:** hours, minutes, seconds and date.

**Case:** diameter 44 mm. Steel.  
Decompression valve. Screw-in crowns.

**Dial:** black, in carbon fiber  
Index, figures and hands covered in  
photoluminescent coating.

**Bezel:** single-direction, toothed interior bezel  
graduated to 60 mn with photoluminescent  
reference point.

**Crystal:** anti-reflective sapphire.

**Water-resistance :** 1,000 meters.

**Strap:** rubber or heavy-duty canvas.

## BR 02 PHANTOM



4 BR 02-92 PHANTOM  
Rubber strap

#### Technical characteristics

**Movement :** self-winding mechanical - ETA 2892

**Functions:** hours, minutes, seconds and date.

**Case:** diameter 44 mm. Steel, black PVD\* finish. Decompression valve. Screw-in crowns.

**Dial:** black, «Clou de Paris» pattern. Index, figures and hands covered in photoluminescent coating.

**Bezel:** single-direction, toothed interior bezel graduated to 60 mn with photoluminescent reference point.

**Crystal:** anti-reflective sapphire.

**Water-resistance :** 1,000 meters.

**Strap:** rubber or heavy-duty canvas.

\*PVD : Physical Vapor Deposition